

References for Genetic Research

Molecular Model. National Human Genome Research Institute, National Institutes of Health. Oct. 24, 2007. <http://www.genome.gov/11511419>

Polymorphisms. Kimball's Biology Pages. (An Online Biology Textbook.) Sept. 19, 2007. <http://users.rcn.com/jkimball.ma.ultranet/BiologyPages/P/Polymorphisms.html>

What are single nucleotide polymorphisms (SNPs)? Genetics Home Reference. A service of the U.S. National Library of Medicine. Jan. 7, 2008. <http://ghr.nlm.nih.gov/handbook/genomicresearch/snp>

What are single nucleotide polymorphisms (SNPs)? Genetics Home Reference. A service of the U.S. National Library of Medicine. Jan. 7, 2008. <http://ghr.nlm.nih.gov/handbook/genomicresearch/snp>

Mammone T, et al. A water soluble extract from *Uncaria tomentosa* (Cat's Claw) is a potent enhancer of DNA repair in primary organ cultures of human skin. *Phytother Res.* 2006 Mar;20(3):178-83.

Akesson C, et al. An extract of *Uncaria tomentosa* inhibiting cell division and NF-kappa B activity without inducing cell death. *Int Immunopharmacol.* 2003 Dec;3(13-14):1889-900.

Sheng Y, et al. DNA repair enhancement of aqueous extracts of *Uncaria tomentosa* in a human volunteer study. *Phytomedicine.* 2001 Jul;8(4):275-82.

Sheng Y, et al. Enhanced DNA repair, immune function and reduced toxicity of C-MED-100, a novel aqueous extract from *Uncaria tomentosa*. *J Ethnopharmacol.* 2000 Feb;69(2):115-26.

Frank, BS. *Nucleic Acid Therapy in Aging and Degenerative Disease—A Metabolic Approach with DNA, RNA and Related Metabolites.* New York, Psychological Library Publishers, 1968.

Morrison NA et al. Prediction of bone density from vitamin D receptor alleles. *Nature.* 1994;367(6460):284-7.

Thakkinstan A et al. Haplotype analysis of VDR gene polymorphisms: a meta-analysis. *Osteoporos Int.* 2004;15(9):729-34.

Thakkinstan A et al. Meta-analysis of molecular association studies: vitamin D receptor gene polymorphisms and BMD as a case study. *J Bone Miner Res.* 2004;19(3):419-28.

Valdivielso JM, Fernandez E. Vitamin D receptor polymorphisms and diseases. *Clin Chim Acta.* 2006 Sep;371(1-2):1-12.

D'Alesio A et al. Two single-nucleotide polymorphisms in the human vitamin D receptor promoter change protein-DNA complex formation and are associated with height and vitamin D status in adolescent girls. *Hum Mol Genet.* 2005;14(22):3539-48.

Marco MP et al. Influence of vitamin D receptor gene polymorphisms on mortality risk in hemodialysis patients. *Am J Kidney Dis.* 2001;38(5):965-74.

Dawson-Hughes B et al. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. *N Engl J Med.* 1997;337(10):670-6.

Knapen et al. 2007. Vitamin K(2) supplementation improves hip bone geometry and bone strength indices in postmenopausal women. *Osteoporos Int* 18(7):963-72.

Shiraki M et al. 2000. Vitamin K2 (menatetrenone) effectively prevents fractures and sustains lumbar bone mineral density in osteoporosis. *J Bone Miner Res* 15:515-21.

Schurgers, L.J., et al. Vitamin K-containing dietary supplements: comparison of synthetic vitamin K1 and natto-derived menaquinone-7. *Blood.* 2007 Apr 15;109(8):3279-83. Epub 2006 Dec 7.

Morisseau C and BD Hammock. Epoxide hydrolases: mechanisms, inhibitor designs, and biological roles. *Annu Rev Pharmacol Toxicol.* 2005;45:311-33

Hecht SS. Chemoprevention of cancer by isothiocyanates, modifiers of carcinogen metabolism, *J. Nutr.* 1999;129:768S-774S.

Higdon JV. Cruciferous vegetables and human cancer risk: epidemiologic evidence and mechanistic basis. *Pharmacol Res.* 2007;55(3):224-36.

Minich DM and JS Bland. A review of the clinical efficacy and safety of cruciferous vegetable phytochemicals. *Nutr Rev.* 2007;65(6 Pt 1):259-67.

Naik R et al. A randomized phase II trial of indole-3-carbinol in the treatment of vulvar intraepithelial neoplasia. *Int J Gynecol Cancer.* 2006;16:786-790.

Wong GY et al. Dose-ranging study of indole-3-carbinol for breast cancer prevention. *J Cell Biochem Suppl.* 1997;28-29:111-116.

Verhoeven DT et al. Epidemiological studies on brassica vegetables and cancer risk. *Cancer Epidemiol Biomarkers Prev.* 1996;5(9):733-48.

Bradlow HL et al. Long-term responses of women to indole-3-carbinol or a high fiber diet. *Cancer Epidemiol Biomarkers Prev.* 1994;3:591-595.

Hosoe K et al. Study on safety and bioavailability of ubiquinol (Kaneka QH) after single and 4-week multiple oral administration to healthy volunteers. *Regul Toxicol Pharmacol.* 2007;47(1):19-28.

Ross D et al. NAD(P)H:quinone oxidoreductase 1 (NQO1): chemoprotection, bioactivation, gene regulation and genetic polymorphisms. *Chem Biol Interact.* 2000 Dec 1;129(1-2):77-97.
Hosoe K et al. Study on safety and bioavailability of ubiquinol (Kaneka QH) after single and 4-week multiple oral administration to healthy volunteers. *Regul Toxicol Pharmacol.* 2007;47(1):19-28.

Robinson BH. The role of manganese superoxide dismutase in health and disease. *J Inherit Metab Dis* 1998;21:598-603.

Bandy B and AJ Davison. Mitochondrial mutations may increase oxidative stress: implications for carcinogenesis and aging? *Free Radic Biol Med* 1990;8:523-39.

Burton KP. Superoxide dismutase enhances recovery following myocardial ischemia. *Am J Physiol Heart Circ Physiol* 1985; 248:H637-H643.

References for Genetic Research

- Younes M et al. Inhibition of lipid peroxidation by superoxide dismutase following regional intestinal ischemia and reperfusion. *Res Exp Medi* 1987;187(1):9-17.
- Greenberger JS and MW Epperly. Review. Antioxidant gene therapeutic approaches to normal tissue radioprotection and tumor radiosensitization. *In Vivo*. 2007;21(2):141-6.
- Wu et al. Antioxidant activities of some common ingredients of traditional Chinese medicine *Angelica sinensis*, *Lycium barbarum* and *Poria cocos*. *Phytother Res*. 2004;18:1008-1012.
- Ha KT et al. Protective effect of *Lycium chinense* fruit on carbon tetrachloride-induced hepatotoxicity. *J Ethnopharmacol*. 2005;96(3):529-35.
- Rayman MP. Selenium in cancer prevention: a review of the evidence and mechanism of action. *Proc Nutr Soc*. 2005 Nov;64(4):527-42.
- Hu YJ and AM Diamond. Role of glutathione peroxidase 1 in breast cancer: loss of heterozygosity and allelic differences in the response to selenium. *Cancer Res*. 2003;63(12):3347-51.
- Hu Y et al. Allelic loss of the gene for the GPX1 selenium-containing protein is a common event in cancer. *J Nutr* 2005;135 (12 Suppl):3021S-3024S.
- Ratnasinghe D et al. Glutathione peroxidase codon 198 polymorphism variant increases lung cancer risk. *Cancer Res*. 2000 Nov 15;60(22):6381-3.
- Moscow J. A., Schmidt L., Ingram D. T., Gnarra J., Johnson B., Cowan K. H. Loss of heterozygosity of the human cytosolic glutathione peroxidase I gene in lung cancer. *Carcinogenesis (Lond.)*, 15: 2769-2773, 1994.
- Clark LC et al. Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. *Nutritional Prevention of Cancer Study Group. J Am Med Assoc*. 1996;276:1957-1963.
- Yu SY et al. Protective role of selenium against hepatitis B virus and primary liver cancer in Qidong. *Biol Trace Elem Res*. 1997;56:117-124.
- Yu SY et al. Protective role of selenium against hepatitis B virus and primary liver cancer in Qidong. *Biol Trace Elem Res*. 1997;56:117-124.
- Knekt P et al. Is low selenium status a risk factor for lung cancer? *Am J Epidemiol*. 1998;148:975-982.
- Yoshizawa K et al. Study of prediagnostic selenium level in toenails and the risk of advanced prostate cancer. *J Natl Cancer Inst*. 1998;90:1219-1224.
- Ghadirian P et al. A case-control study of toenail selenium and cancer of the breast, colon, and prostate. *Cancer Detect Prev*. 2000;24:305-313.
- Lippman SM et al. Designing the Selenium and Vitamin E Cancer Prevention Trial (SELECT). *J Natl Cancer Inst*. 2005;97:94-102.
- Cunnane G et al. Early joint erosions and serum levels of matrix metalloproteinase 1, matrix metalloproteinase 3, and tissue inhibitor of metalloproteinases 1 in rheumatoid arthritis. *Arthritis Rheum*. 2001;44:2263-2274.
- Dörr S et al. Association of a specific haplotype across the genes MMP1 and MMP3 with radiographic joint destruction in rheumatoid arthritis. *Arthritis Res Ther*. 2004;6(3):R199-207.
- Ikeda Y. et al. 2006. Intake of fermented soybeans, natto, is associated with reduced bone loss in postmenopausal women: Japanese Population-Based Osteoporosis (JPOS) Study. *J Nutr*. 136(5):1323-8.
- Martin KR. The chemistry of silica and its potential health effects. *J Nutr Health Aging*. 2007;11(2):94-7.
- Kobayashi T et al. Fursultiamine, a vitamin B1 derivative, enhances chondroprotective effects of glucosamine hydrochloride and chondroitin sulfate in rabbit experimental osteoarthritis. *Inflamm Res*. 2005 Jun;54(6):249-55.
- Campo GM et al. Purified human chondroitin-4-sulfate reduced MMP/TIMP imbalance induced by iron plus ascorbate in human fibroblast cultures. *Cell Biol Int*. 2006;30(1):21-30.
- Martensson J, Larsson J and Nordstrom H. Amino acid metabolism during the anabolic phase of severely burned patients: with special reference to sulphur amino acids. *Eur J Clin Invest*. 17:130-135, 1987
- Usha PR and MU Naidu. Randomised, Double-Blind, Parallel, Placebo-Controlled Study of Oral Glucosamine, Methylsulfonylmethane and their Combination in Osteoarthritis. *Clin Drug Investig*. 2004;24(6):353-63.
- Kalman DS et al. A randomized double blind clinical pilot trial evaluating the safety and efficacy of hydrolyzed collagen type II in adults with osteoarthritis. *FASEB Experimental Biology 2004 Abstracts*, Washington DC, April 17-21, 2004; A90.
- Refsum H et al. Homocysteine and Cardiovascular Disease. *Ann Rev Med*. 1998;49:31-62.
- Eikelboom J et al. Homocyst(e)ine and Cardiovascular Disease: A Critical Review of the Epidemiological Evidence. *Ann Intern Med*. 1999;131:363-375.
- Hankey G et al. Homocysteine and Vascular Disease. *Lancet*. 1999;354 (9176): 407-413.
- Frosst P et al. A candidate genetic risk factor for vascular disease: a common mutation in methylenetetrahydrofolate reductase. *Nat Genet*. 1995; 10:111-113.
- Jacques PF et al. Relation between folate status, a common mutation in methylenetetrahydrofolate reductase, and plasma homocysteine concentrations. *Circulation*. 1996;93: 7-9.
- Gaughan DJ et al. The methionine synthase reductase (MTRR) A66G polymorphism is a novel genetic determinant of plasma homocysteine concentrations. *Atherosclerosis*. 2001;157(2):451-6.

References for Genetic Research

- Guéant-Rodriguez RM et al. Association of MTRRA66G polymorphism (but not of MTHFR C677T and A1298C, MTRRA2756G, TCN C776G) with homocysteine and coronary artery disease in the French population. *Thromb Haemost.* 2005;94(3):510-5.
- Barbosa PR et al. Association between decreased vitamin levels and MTHFR, MTR and MTRR gene polymorphisms as determinants for elevated total homocysteine concentrations in pregnant women. *Eur J Clin Nutr.* 2007 May 23 [Epub ahead of print]
- Ubbink JB et al. Vitamin Requirements for the Treatment of Hyperhomocysteinemia in Humans. *J Nutr.* 1994;124:1927-1933.
- Lobo A et al. Reduction of Homocysteine Levels in Coronary Artery Disease by Low-Dose Folic Acid Combined With Vitamins B6 and B12. *Am J Cardiol.* 83:821-825, 1999.
- Dierkes J et al. Folic Acid and Vitamin B6 Supplementation and Plasma Homocysteine Concentrations in Healthy Young Women. *Intl J Vit Nutr Res.* 1996;68:98-103.
- Brouwer I et al. Low-Dose Folic Acid Supplementation Decreases Plasma Homocysteine Concentrations: A Randomized Trial. *Am J Clin Nutr.* 1999;69:99-104.
- Homocysteine Lowering Trialists' Collaboration: Lowering Blood Homocysteine With Folic Acid Based Supplements: Meta Analysis of Randomized Trials. *Brit J Med.* 1998;316(7135):894-8.
- McNulty H, McKinley MC, Wilson B, Mc Partlin J, Strain JJ, Weir DG, Scott JM. Impaired functioning of thermolabile methylenetetrahydrofolate reductase is dependent on riboflavin status: implications for riboflavin requirements. *Am J Clin Nutr.* 2002; 76: 436-441.
- Hustad S, Ueland PM, Vollset SE, Zhang Y, Bjorke-Monsen AL, Schneede J. Riboflavin as a determinant of plasma total homocysteine: effect modification by the methylenetetrahydrofolate reductase C677T polymorphism. *Clin Chem.* 2000; 46: 1065-1071.
- Lee et al. Tumor necrosis factor-alpha promoter -308 A/G polymorphism and rheumatoid arthritis susceptibility: a metaanalysis. *J Rheumatol.* 2007;34(1):43-9.
- Alvarez V et al. Association between the TNFalpha-308 A/G polymorphism and the onset-age of Alzheimer disease. *Am J Med Genet.* 2002;114(5):574-7.
- Witte JS et al. Relation between tumour necrosis factor polymorphism TNFalpha-308 and risk of asthma. *Eur J Hum Genet.* 2002;10(1):82-5.
- Elahi MM et al. A variant of position -308 of the Tumour necrosis factor alpha gene promoter and the risk of coronary heart disease. *Heart Lung Circ.* 2007 Jun 18; [Epub ahead of print]
- Roy S et al. Human genome screen to identify the genetic basis of the anti-inflammatory effects of Boswellia in microvascular endothelial cells. *DNA Cell Biol.* 2005;24(4):244-55.
- Roy S, Khanna S, Krishnaraju AV, et al. Regulation of vascular responses to inflammation: inducible matrix metalloproteinase-3 expression in human microvascular endothelial cells is sensitive to anti-inflammatory Boswellia. *Antioxid Redox Signal.* 2006;8(3-4):653-60.
- Safayhi et al. Boswellic acids: novel, specific, non-redox inhibitors of 5-lipoxygenase. *J Pharm Exp Ther.* 1992;261(3):1143-1146.
- Wildfeuer et al. Effects of boswellic acids extracted from a herbal medicine on the biosynthesis of leukotrienes and the course of experimental autoimmune encephalomyelitis. *AzneimForsch/Drug Res.* 1984;48:668-674.
- Ammon et al. Inhibition of leukotriene B4 formation in rat peritoneal neutrophils by an ethanolic extract of the gum resin exudate of *Boswellia serrata*. *Planta Med.* 1991;57:203-207.
- Singh et al. Anti-inflammatory actions of boswellic acids. *Phytomedicine.* 3(1):81-85, 1996.
- Sharma et al. Anti-arthritic activity of boswellic acids in bovine serum albumin (BSA)-induced arthritis. *Int J Immunopharmacol.* 11(6):647-652, 1989.
- Kimmatkar N. Efficacy and tolerability of *Boswellia serrata* extract in treatment of osteoarthritis of knee--a randomized double blind placebo controlled trial. *Phytomedicine.* 2003;10(1):3-7.
- Peng Q et al. Pycnogenol inhibits tumor necrosis factor-alpha-induced nuclear factor kappa B activation and adhesion molecule expression in human vascular endothelial cells. *Cell Mol Life Sci.* 2000;57(5):834-41.
- Byun CH et al. Alpha-lipoic acid inhibits TNF-alpha-induced apoptosis in human bone marrow stromal cells. *J Bone Miner Res.* 2005;20(7):1125-35.
- Tastekin N. Protective effects of l-carnitine and alpha-lipoic acid in rats with adjuvant arthritis. *Pharmacol Res.* 2007 Aug 3 [Epub ahead of print]
- Aviram M et al. Paraonase inhibits high-density lipoprotein oxidation and preserves its functions: a possible peroxidative role for paraonase. *J Clin Invest.* 1998;101:1581-1590.
- Garin et al. Paraonase polymorphism Met-Leu54 is associated with modified serum concentrations of the enzyme. A possible link between the paraonase gene and increased risk of cardiovascular disease in diabetes. *J Clin Invest.* 1997;99(1):62-6.
- Humbert R et al. The molecular basis of the human serum paraonase activity polymorphism. *Nat Genet.* 1993;3:73-76.
- Robertson KS et al. Human paraonase gene cluster polymorphisms as predictors of coronary heart disease risk in the prospective Northwick Park Heart Study II. *Biochim Biophys Acta.* 2003;1639(3):203-12.
- Voetsch B et al. The Combined Effect of Paraonase Promoter and Coding Region Polymorphisms on the Risk of Arterial Ischemic Stroke Among Young Adults. *Arch Neurol.* 2004;61(3):351-356.
- Aviram M et al. Pomegranate juice consumption for 3 years by patients with carotid artery stenosis reduces common carotid intima-media thickness, blood pressure and LDL oxidation. *Clin Nutr.* 23(3):423-33, 2004.

References for Genetic Research

- Aviram et al. Pomegranate juice flavonoids inhibit low-density lipoprotein oxidation and cardiovascular diseases: studies in atherosclerotic mice and in humans. *Drugs Exp Clin Res.* 2002;28(2-3):49-62.
- Aviram M et al. Pomegranate juice consumption reduces oxidative stress, atherogenic modifications to LDL, and platelet aggregation: studies in humans and in atherosclerotic apolipoprotein E-deficient mice. *Am J Clin Nutr.* 2000;71(5):1062-76.
- Gouedard C. Induction of the paraoxonase-1 gene expression by resveratrol. *Arterioscler Thromb Vasc Biol.* 2004 Dec;24(12):2378-83.
- Curtin BF et al. Resveratrol induces catalytic bioscavenger paraoxonase 1 expression and protects against chemical warfare nerve agent toxicity in human cell lines. *J Cell Biochem.* 2007 Sep 19 [Epub ahead of print]
- Rosenblat M et al. Anti-oxidative effects of pomegranate juice (PJ) consumption by diabetic patients on serum and on macrophages. *Atherosclerosis.* 2006;187(2):363-71.
- Sumner MD et al. Effects of pomegranate juice consumption on myocardial perfusion in patients with coronary heart disease. *Am J Cardiol.* 2005;96(6):810-4.
- Bradamante S. Cardiovascular protective effects of resveratrol. *Cardiovasc Drug Rev.* 2004;22(3):169-88.
- Ylitalo et al. Baroreflex sensitivity and variants of the renin-angiotensin system genes. *J Am Coll Cardiol.* 2000;35(1):194-200.
- Hautanen A et al. Joint Effects of an Aldosterone Synthase (CYP11B2) Gene Polymorphism and Classic Risk Factors on Risk of Myocardial Infarction. *Circulation.* 1999;100:2213.
- Wexler R and G Aukerman. Nonpharmacologic strategies for managing hypertension. *Am Fam Physician.* 2006;73(11):1953-6.
- King DE, et al. Dietary Magnesium and C-reactive Protein Levels. *J Am Coll Nutr.* 2005 Jun;24(3):166-71. http://www.ncbi.nlm.nih.gov/sites/entrez?orig_db=PubMed&db=pubmed&cmd=Search&TransSchema=title&term=dietary%20magnesium%20and%20c-reactive
- Napoli C et al. Nitric oxide and atherosclerosis: an update. *Nitric Oxide.* 2006;15(4):265-79.
- Benn M et al. Polymorphism in APOB Associated with Increased Low-Density Lipoprotein Levels in Both Genders in the General Population. *J Clin Endocrinol Met.* 2005;90(10):5797-5803.
- Talmud PJ et al. Apolipoprotein B gene variants are involved in the determination of serum cholesterol levels: a study in normo- and hyperlipidaemic individuals. *Atherosclerosis.* 1987;67:81-89.
- Law A et al. Common DNA polymorphism within coding sequence of apolipoprotein B gene associated with altered lipid levels. *Lancet.* 1986;1:1301-1303.
- Hegele RA et al. Apolipoprotein B-gene DNA polymorphisms associated with myocardial infarction. *N Engl J Med.* 1986;315:1509-1515.
- Bentzen J et al. Further studies of the influence of apolipoprotein B alleles on glucose and lipid metabolism. *Hum Biol.* 2003;75(5):687-703.
- Moreno-Luna R et al. Two independent apolipoprotein A5 haplotypes modulate postprandial lipoprotein metabolism in a healthy Caucasian population. *J Clin Endocrinol Metab.* 2007;92(6):2280-5.
- Balk EM et al. Effects of omega-3 fatty acids on serum markers of cardiovascular disease risk: a systematic review. *Atherosclerosis.* 2006;189(1):19-30.
- Pearce BC et al. Hypocholesterolemic activity of synthetic and natural tocotrienols. *J Med Chem.* 1992;35(20):3595-606.
- Qureshi AA et al. Response of hypercholesterolemic subjects to administration of tocotrienols. *Lipids.* 1995;30(12):1171-7.
- Qureshi AA et al. Lowering of serum cholesterol in hypercholesterolemic humans by tocotrienols (palmvitee). *Am J Clin Nutr.* 1991;53(4 Suppl):1021S-1026S.
- Qureshi AA et al. Synergistic effect of tocotrienol-rich fraction (TRF(25)) of rice bran and lovastatin on lipid parameters in hypercholesterolemic humans. *J Nutr Biochem.* 2001;12(6):318-329.
- Suzuki YJ et al. Structural and dynamic membrane properties of alpha-tocopherol and alpha-tocotrienol: implication to the molecular mechanism of their antioxidant potency. *Biochemistry.* 1993;32(40):10692-10699.
- Mortensen SA, et al. Long-term coenzyme Q10 therapy in patients with congestive heart failure: a major advance in the management of resistant myocardial failure. *Drug Exptl Clin Res.* 1985;11:581-93.
- http://www.ncbi.nlm.nih.gov/sites/entrez?orig_db=PubMed&db=pubmed&cmd=Search&TransSchema=title&term=long-term%20coenzyme%20q10%20therapy%20in%20patients%20with%20congestive%20heart%20failure
- Polymorphisms. Kimball's Biology Pages. (An Online Biology Textbook.) Sept. 19, 2007. <http://users.rcn.com/jkimball.ma.ultranet/BiologyPages/P/Polymorphisms.html>
- What are single nucleotide polymorphisms (SNPs)? Genetics Home Reference. A service of the U.S. National Library of Medicine. Jan. 7, 2008. <http://ghr.nlm.nih.gov/handbook/genomicresearch/snp>
- What are single nucleotide polymorphisms (SNPs)? Genetics Home Reference. A service of the U.S. National Library of Medicine. Jan. 7, 2008. <http://ghr.nlm.nih.gov/handbook/genomicresearch/snp>

Notes

Notes
